


DUYTAN[®]



PET PREFORM CATALOGUE



Continuous innovation to be with
customer in the lead.

www.duytan.com

DUYTAN PLASTICS

“Our commitment to you is always to follow & comply with your requirements. No matter what!”

ISO 9001:2015

Quality Management System

ISO 14001:2015

Environmental Management System

ISO 15378:2017

Quality Management for Production of Primary packaging for Pharmaceuticals.

BRC

(British Retail Consortium)
Global Standard for Food Packaging.

FDA

(Food and Drug Administration)
US Safety Standard for food contact, applies to all resin and master batch used by Duy Tan.

QCVN 12

Vietnam standards of safety packaging materials
(Mandatory for domestic use in Vietnam)

SMETA 4-PILLARS

(SEDEX Members Ethical Trade Audit)
Labor conditions



ISO 9001 : 2015
ISO 14001 : 2015
ISO 15378 : 2017



CONTENTS

COMPANY OVERVIEW	2-3
PREFORMS FOR WATER BOTTLE	4-8
PREFORMS FOR COSMETICS	9
PREFORMS FOR EDIBLE OIL	10
PREFORMS FOR PHARMACEUTICAL	11-13
PREFORMS FOR WIDE MOUTH	14-28
PREFORMS FOR EOE	29





MODERN EQUIPMENTS
AUTOMATIC PRODUCTION LINES
ADVANCED TECHNOLOGIES

TRUST QUALITY INNOVATION

Established in 1987, the DUYTAN brand has developed unceasingly, accelerating its growth rapidly, and helped it becoming recognized as a Vietnam Value brand since 2014. This outstanding accomplishment was initiated from the passion and vision of the founders who have relentlessly pursued the desire to build a great business which aspired to be recognized across the community based on these three core values.

As of today, Duy Tan Plastics is one of the leading plastics manufacturers in Vietnam and also one of the most loved and trusted brands in the local market. For 20 consecutive years, Duy Tan has been awarded "Vietnamese High Quality Goods" and achieved numerous other prestigious awards.



Using only state-of-the-art equipment and a team of experienced professionals, Duy Tan Plastics produce and supply a wide range of preforms for everything from food packaging to mineral water and pharmaceuticals. Adhering to the most stringent requirements and, using the best virgin materials, we bring only the best product to the end user. All customers, domestic as well as export customers, appreciate our commitment of being a leader in our industry and for always keeping recognized international standards' certifications up-to-date.






PROFESSIONAL MANUFACTURER OF PET PREFORMS

YOUR LEADING PARTNER IN COMPLIANCE AND INNOVATION

Duy Tan produces wide-mouth and mineral water preforms according to international standards as well as our customers' own requirements. Our combination of state-of-the-art machinery and in-house design aims to achieve optimal yield to our customers. Duy Tan technology with modern equipment, high productivity, and a team of technical experts allow for production of advanced preforms according to every need. We optimize value, profit, quality and product properties, all to keep you in the lead.

We offer a full in-house solution in and closed process. We emphasize on product quality and flexibility. With our expertise, your development and products are in safe hands and guaranteed to be given the most economical and fastest way to meet market demand. Moreover, we offer you flexibility in order quantities and color diversity which helps develop any market segments that you might be aiming for. Lastly, High capacity, stable quality, top grade materials and in time delivery helps build trust between you and the Duy Tan group. For more information, please contact one of our representatives.





REFORMS FOR WATER BOTTLE

BEST PREFORMS AVAILABLE IN THE MARKET

Duy Tan PET preforms for mineral water are available in various standards, sizes and weights. As water is neutral in taste, packaging for mineral water must be produced and packed under very strict conditions. Understanding the importance of controlling our manufacturing environment as well as meeting every requirement from our customers, we provide you with the best preforms available on the market.


Each preform is designed and manufactured to your exact requirements. In each step of our process we verify that our products follow the most stringent requirement in terms of clarity, color, centricity, shape and dimensions. Preforms leaving our factory is also guaranteed to work in your machine and process.

PREFORMS FOR WATER BOTTLE

28mm PCO 1881



length (mm)




Product Code	Neck finish	Length (mm)	Weight (gms)	Blowing capacity (ml)	Base	Application	Pieces/Carton (carton size: 470*420*310mm)	No. Carton/ 40'HC container	Pieces/ Gaylord (1m*1,2m*1m)	No.gaylord/ 40'HC container
26-13.5	PCO 1881	79	13.5	250-350	Eco	Water	950	1160	N/A	N/A
28-10	PCO 1881	80	10	80-110	Eco	Water	1200	1160	N/A	N/A
28-13.5	PCO 1881	83	13.5	250-350	Dome	Water	950	1160	N/A	N/A
28-16	PCO 1881	89	16	350-550	Dome	Water	800	1160	N/A	N/A
28-19	PCO 1881	91	19	500-750	Dome	Water	750	1160	N/A	N/A
28-23	PCO 1881	102	23	750-100	Dome	Water/CSD	680	1160	N/A	N/A
28-27	PCO 1881	125.7	27	750-1200	Dome	Water/CSD	630	1160	N/A	N/A

PREFORMS FOR WATER BOTTLE

28mm PCO 1881



length (mm)




Product Code	Neck finish	Length (mm)	Weight (gms)	Blowing capacity (ml)	Base	Application	Pieces/Carton (carton size: 470*420*310mm)	No. Carton/ 40'HC container	Pieces/ Gaylord (1m*1,2m*1m)	No.gaylord/ 40'HC container
28-30	PCO 1881	125.7	30	750-1500	Dome	Water/CSD	576	1160	N/A	N/A
28-33	PCO 1881	126	33	1000-1800	Dome	Water/CSD	576	1160	N/A	N/A
28-38	PCO 1881	146	38	1600-2300	Dome	Water/CSD	546	1160	N/A	N/A
28-44	PCO 1881	146	44	1600-2500	Dome	Water/CSD	390	1160	N/A	N/A
28-64	PCO 1810	180	64	750-3000	Dome	Water/CSD	360	1160	N/A	N/A

PREFORMS FOR WATER BOTTLE

30/25mm





length (mm)



Product Code	Neck finish	Length (mm)	Weight (gms)	Blowing capacity (ml)	Base	Application	Pieces/Carton (carton size: 470*420*310mm)	No. Carton/ 40'HC container	Pieces/ Gaylord (1m*1,2m*1m)	No.gaylord/ 40'HC container
30-11E	30/25	83	11	250-330	Eco	Water	1000	1160	N/A	N/A
30-13E	30/25	89	13	330-500	Eco	Water	850	1160	N/A	N/A
30-13	30/25	83	13	250-500	Eco	Water	850	1160	N/A	N/A
30-15.5	30/25	89	15.5	350-550	Dome	Water	750	1160	N/A	N/A
30-17	30/25	82.5	17	550-700	Dome	Water	750	1160	N/A	N/A
30-30	30/25	126	30	700-1500	Dome	Water	400	1160	N/A	N/A
38-30	38/30	97.5	30	700-1500	Dome	Water	480	1160	N/A	N/A

PREFORMS FOR WATER BOTTLE

Duy Tan's Standard




Product Code	Neck finish	Length (mm)	Weight (gms)	Blowing capacity (ml)	Base	Application	Pieces/Carton (carton size: 470*420*310mm)	No. Carton/ 40'HC container	Pieces/ Gaylord (1m*1,2m*1m)	No.gaylord/ 40'HC container
47- 90	47 - DT	193	90	4.000-5.000	Dome	Water	110	1160	N/A	N/A
47- 148	47 - DT	220	148	4.000-5.000	Dome	Water	126	1160	N/A	N/A
55-620	55 snap on	368.5	620	19.000	Dome	Water	35	1160	N/A	N/A
55-620	55 snap on	368.5	620	19.000	Dome	Water	35	1160	N/A	N/A
55-640	55 snap on	370	640	19.000	Dome	Water	35	1160	N/A	N/A
55-670	55 snap on	398	670	19.000	Dome	Water	35	1160	N/A	N/A
110-480	110 - DT	282	480	20.000	Dome	Water	20	1160	N/A	N/A
110-550	110 - DT	282	550	20.000	Dome	Water	20	1160	N/A	N/A
110-650	110 - DT	282	650	20.000	Dome	Water	20	1160	N/A	N/A

PREFORMS FOR COSMETICS

24-28 mm - SP410




length (mm)




Product Code	Neck finish	Length (mm)	Weight (gms)	Blowing capacity (ml)	Base	Application	Pieces/Carton (carton size: 470*420*310mm)	No. Carton/ 40'HC container
20-8.5	20-SP410	59.6	8.5	50-120	Dome	Cosmetic		1160
24-22	24-SP410	97.6	21.64	200-350	Dome	Cosmetic		1160
24-30	24-SP410	117	30	200-350	Dome	Cosmetic	952	1160
24-30	24-SP410	123	30	200-350	Dome	Cosmetic		1160
28-40	28-SP410	140	40	900-1200	Dome	Cosmetic		1160
28-55	28-SP410	153	55	900-1200	Dome	Cosmetic	546	1160

PREFORMS FOR EDIBLE OIL

Duy Tan's Standard



Product Code	Neck finish	Length (mm)	Weight (gms)	Blowing capacity (ml)	Base	Application	Pieces/Carton (carton size: 470*420*310mm)	No. Carton/ 40'HC container	Pieces/ Gaylord (1m*1,2m*1m)	No.gaylord/ 40'HC container
S30 - 13	30 Snap on	81	13	250 - 350	Eco	Oil	1000	1160	N/A	N/A
S30 - 15	30 Snap on	88	15	400 - 500	Eco	Oil	800	1160	N/A	N/A
S30 - 29	30 Snap on	130	29	800 - 1000	Eco	Oil	500	1160	N/A	N/A
S30 - 65	30 Snap on	148,5	65	1600 - 2500	Eco	Oil	360	1160	N/A	N/A
S30 - 65	30 Snap on	170	65	1600 - 2000	Eco	Oil	352	1160	N/A	N/A
S42 - 85	42 Snap on	139,2	85	1600 - 2500	Dome	Oil	240	1160	N/A	N/A




PREFORMS FOR PHARMACEUTICAL

COMPLIANCE WITH ISO 15378:2011
(WITH REFERENCE TO GMP)

At Duy Tan, all pharmaceutical preforms are produced using automated equipment and raw materials of the highest quality. All production is under management and strict quality control in accordance with ISO 15378:2011. For your convenience, we have a wide range of pharmaceutical preforms available. Needless to say, we provide a wide range of preforms following international standards. Naturally, we can also produce according to our customer's individual needs and requirements. Contact us for more details and we will do our best to satisfy your request.

PREFORMS FOR PHARMACEUTICAL

38mm - SP400



Product Code	Neck finish	Length (mm)	Weight (gms)	Blowing capacity (ml)	Base	Application	Pieces/Carton (carton size: 470*420*310mm)	No. Carton/ 40'HC container
38-15-S	38-SP400	61	15	100-120	N/A	Medicine	850	1160
38-20-S	38-SP400	69	20	120-150	N/A	Medicine	810	1160
38-24-S	38-SP400	75	24	150-200	N/A	Medicine	672	1160
38-32-S	38-SP400	101	32	250-300	N/A	Medicine	576	1160
38-48-S	38-SP400	115	48	400-550	N/A	Medicine	396	1160


PREFORMS FOR PHARMACEUTICAL

45mm - SP400


53mm - SP400



length (mm)



Product Code	Neck finish	Length (mm)	Weight (gms)	Blowing capacity (ml)	Base	Application	Pieces/Carton (carton size: 470*420*310mm)	No. Carton/ 40'HC container
45-26	45-SP400	72	26	150-250	N/A	Medicine	680	1160
45-30-S	45-SP400	77	30	250-300	N/A	Medicine	630	1160
45-35-S	45-SP400	83	35	300-350	N/A	Medicine	495	1160
45-44-S	45-SP400	97	44	400-550	N/A	Medicine	352	1160
53-25-S	53-SP400	75.7	24.5	150-250	N/A	Medicine	864	1160



PREFORMS FOR WIDE MOUTH JAR

SUITABLE FOR PACKAGING
OF ANYTHING


Applying the latest technology and automation, Duy Tan is proud to be one of the leading wide-mouth PET preform manufacturers in Vietnam. As with all our products, automation, quality assurance and optimized transport packaging is key to keep our promises with regards to compliance and pricing. We supply an extensive range of wide-mouth preforms in many different sizes and weights, suitable for packaging of anything from food products to pharmaceuticals.

PREFORMS FOR TAMPER EVIDENT

Tamper evident



length (mm)




Product Code	Neck finish	Length (mm)	Weight (gms)	Blowing capacity (ml)	Base	Application	Pieces/Carton (carton size: 470*420*310mm)	Pieces/ Gaylord (1m*1,2m*1m)	No.gaylord/ 40'HC container
53-26-G	53-Tamper	53.9	26	150 - 380	N/A	Food	567		1160
70-36-G	70-Tamper	79.6	36	300 - 500	N/A	Food	396		1160
89-50-G	89-Tamper	64	50	300-800	N/A	Food	207		1160
89-70-G	89-Tamper	107.4	70	800-1500	N/A	Food	350		1160
89-85-G	89-Tamper	123.4	85	700-1500	N/A	Food	161		1160
138-222-G	183-Tamper	171.6	222	5000-8500	N/A	Food	45		1160

PREFORMS FOR WIDE MOUTH JARS

38 - 53 mm (SP-400)



length (mm)




Product Code	Neck finish	Length (mm)	Weight (gms)	Blowing capacity (ml)	Base	Application	Pieces/Carton (carton size: 470*420*310mm)	No. Carton/ 40'HC container
38-10	38-SP400	57	10.5	80-120	N/A	Food	1000	1160
43-17	43-SP400	67	17	280-380	N/A	Food	1160	1160
45-12.5	45-SP400	51	12.5	120-160	N/A	Food	850	1160
53-21-S	53- 485	61.5	21	280-400	N/A	Food	847	1160
53-35-S	53- 485	84	35	600-800	N/A	Food	710	1160
53-35-S	53- 485	86	35	600-800	N/A	Food	710	1160
53-54	53-485	103	54	500-1000	N/A	Food	224	1160
53-54-S	53-SP400	115	54	500-1000	N/A	Food	355	1160
53-65-S	53-SP400	110	65	700-1200	N/A	Food	224	1160

PREFORMS FOR WIDE MOUTH JARS

58-63 mm (SP-400)



length (mm)




Product Code	Neck finish	Length (mm)	Weight (gms)	Blowing capacity (ml)	Base	Application	Pieces/Carton (carton size: 470*420*310mm)	No. Carton/ 40'HC container
58-17	58-SP400	57	17	250-400	N/A	Food	500	1160
63-30-S	63-SP400	73	30	500-650	N/A	Food	637	1160
63-35-S	63-485	82.5	35	600-800	N/A	Food	490	1160
63-60-S	63-SP400	100	60	800-1100	N/A	Food	192	1160

PREFORMS FOR WIDE MOUTH JARS

70-83 mm (SP-400)



length (mm)



Product Code	Neck finish	Length (mm)	Weight (gms)	Blowing capacity (ml)	Base	Application	Pieces/Carton (carton size: 470*420*310mm)	No. Carton/ 40'HC container
70-33-S	70-SP400	65	33	600-750	N/A	Food	546	1160
70-33-S	70-SP400	67	33	600-750	N/A	Food	546	1160
75-40-S	75-SP400	77	40	600-800	N/A	Food	369	1160
75-45-S	75-SP400	90	45	600-1000	N/A	Food	451	1160
83-34	83-SP400	65	34	500-800	N/A	Food	360	1160
83-140	83-SP400	169	140	1000-4000	N/A	Food	360	1160


--	--	--	--	--	--	--	--	--

PREFORMS FOR WIDE MOUTH JARS

89-100 mm - SP400




length (mm)



Product Code	Neck finish	Length (mm)	Weight (gms)	Blowing capacity (ml)	Base	Application	Pieces/Carton (carton size: 470*420*310mm)	No. Carton/ 40*HC container
89-30-S	89-SP400	49.8	30	400-600	N/A	Food	336	1160
89-40	89-SP400	57	40	400-650	N/A	Food	288	1160
89-55	89-SP400	97	55	400-800	N/A	Food	240	1160
89-70	89-SP400	108	70	600-1500	N/A	Food	192	1160
100-55-S	100-SP400	78	55	600-1000	N/A	Food	190	1160
100-84-S	100-SP400	115	84	1500-2000	N/A	Food	171	1160

PREFORMS FOR WIDE MOUTH JARS

110mm - SP400




Product Code	Neck finish	Length (mm)	Weight (gms)	Blowing capacity (ml)	Base	Application	Pieces/Carton (carton size: 470*420*310mm)	No. Carton/ 40'HC container
110-90-S	110-SP400	98	90	1500-2500	N/A	Food	135	1160
110-100-S	110-SP400	115	100	1500-3000	N/A	Food	120	1160
110-115-S	110-SP400	125	115	1500-3200	N/A	Food	120	1160
110-132-S	110-SP400	141	132	2000-3500	N/A	Food	105	1160
110-155-S	110-SP400	155	155	5000-7000	N/A	Food	90	1160
110-185-S	110-SP400	146	185	5000-7000	N/A	Food	90	1160

PREFORMS FOR WIDE MOUTH JARS

120mm - SP400



length (mm)



Product Code	Neck finish	Length (mm)	Weight (gms)	Blowing capacity (ml)	Base	Application	Pieces/Carton (carton size: 470*420*310mm)	No. Carton/ 40'HC container
120-85-S	120-SP400	85	85	1500-2500	N/A	Food	132	1160
120-97-S	120-SP400	116	97.5	2000-3250	N/A	Food	108	1160
120-117-S	120-SP400	131	117	3200-4500	N/A	Food	108	1160
120-130-S	120-SP400	140	130	2000-4700	N/A	Food	96	1160
120-155-S	120-SP400	150	155	5000-7000	N/A	Food	96	1160
120-230-S	120-SP400	171	230	5000-7000	N/A	Food	60	1160
120-280-S	120-SP400	210	280	8000-10000	N/A	Food	36	1160

JARS PRODUCT




PREFORMS FOR WIDE MOUTH JARS

Duy Tan's Standard



length (mm)




Product Code	Neck finish	Length (mm)	Weight (gms)	Blowing capacity (ml)	Base	Application	Pieces/Carton (carton size: 470*420*310mm)	No. Carton/ 40'HC container
52-15	52 - DT	52	15	150-270	N/A	Food	700	1160
63-24	63 - DT	65	24	390-540	N/A	Food	624	1160
63-48	63 - DT	105	48	400-750	N/A	Food	336	1160
63-48-S1	63 - DT	110	48	400-750	N/A	Food	352	1160
63-65	63 - DT	120	65	500-800	N/A	Food	264	1160
63-71	63 - DT	125	71	600-1200	N/A	Food	220	1160

PREFORMS FOR WIDE MOUTH JARS

Duy Tan's Standard



length (mm)




Product Code	Neck finish	Length (mm)	Weight (gms)	Blowing capacity (ml)	Base	Application	Pieces/Carton (carton size: 470*420*310mm)	No. Carton/ 40'HC container
70-18	70 - DT	49	18	280-380	N/A	Food	525	1160
70-24	70 - DT	63	24	390-540	N/A	Food	468	1160
74-41	74 - DT	80	41	600-850	N/A	Food	420	1160
83-58	83 - DT	98	58	800-1400	N/A	Food	224	1160
89-46	89 - DT	83	46	800-1200	N/A	Food	240	1160
90-38	90 - DT	62	38	600-800	N/A	Food	276	1160

PREFORMS FOR WIDE MOUTH JARS

Duy Tan's Standard




length (mm)



Product Code	Neck finish	Length (mm)	Weight (gms)	Blowing capacity (ml)	Base	Application	Pieces/Carton (carton size: 470*420*310mm)	No. Carton/ 40'HC container
101-68	101 - DT	100	68	900-2000	N/A	Food	180	1160
110-56	110 - DT	79	56	900-1530	N/A	Food	165	1160
110-84	110 - DT	115	84	2000-2600	N/A	Food	135	1160


PREFORMS FOR WIDE MOUTH JARS

Duy Tan's Standard



Product Code	Neck finish	Length (mm)	Weight (gms)	Blowing capacity (ml)	Base	Application	Pieces/Carton (carton size: 470*420*310mm)	No. Carton/ 40'HC container
120-97	120 - DT	116	97	2000-3250	N/A	Food	120	1160
120-117	120 - DT	126	117	3200-4500	N/A	Food	108	1160
120-130	120 - DT	138	130	2000-4700	N/A	Food	108	1160

PREFORMS FOR WIDE MOUTH JARS




Product Code	Neck finish	Length (mm)	Weight (gms)	Blowing capacity (ml)	Base	Application	Pieces/Carton (carton size: 470*420*310mm)	No. Carton/ 40'HC container
138-138	138-DT	129	138	3000-5000	N/A	Food	72	1160
138-168	138-DT	144	168	4000-6500	N/A	Food	54	1160
138-222	138-DT	163	222	5000-8500	N/A	Food	45	1160
130-260	138-DT	196	260	4000-8000	N/A	Food	40	1160

JARS PRODUCT



PREFORMS FOR EOE

Duy Tan's Standard



Product Code	Neck finish	Length (mm)	Weight (gms)	Blowing capacity (ml)	Base	Application	Pieces/Carton (carton size: 470*420*310mm)	No. Carton/ 40'HC container
A89-24	#307	44	24	250-400		Food	912	1160
A89-30	#307	62	30	300-550		Food	840	1160
A89-44	#307	89	44	700-1000		Food	552	1160
A100-45	#401	57.5	45	400-800		Food	612	1160
A100-64	#401	99	62	900-1200		Food	324	1160

ORDERS

Our minimum order quantity depending on size of product and production output of the specific product. Please contact our customer service for more details on any product of interest. Duy Tan requires a formal purchase order for all customer orders.

Inquiries and purchase orders may be sent to info@duytan.com.

SAMPLE REQUESTS

We usually ship your request within five working days. For swift delivery of samples, the name of preferred courier service along with your account number must be included for shipping charges. Alternatively, we can invoice the shipping charges to you on your first order.

Please call, fax or e-mail our Customer Service for more information.

MANUFACTURING

All items listed in this catalog are manufactured by
Duy Tan Plastics Corporation in Vietnam

PRODUCT WARRANTY

Duy Tan warrants its products will conform to all Duy Tan product specifications. No warranty or representation other than those set forth in this standard warranty are applicable.



ENVIRONMENT

Duy Tan is well aware of our obligation to protect the environment like many multinational corporations. Our goal is to use natural resources responsibly and efficiently, reduce the rate of waste, use recycled materials, save energy, ... to minimize the environmental impact

DUYTAN®

Visiting Address: 298 Ho Hoc Lam, Binh Tan District, HCM City, Vietnam
Customer Service: +84 8 3876 2222, +84 8 3876 2223 (ext. 150 or 200)
Fax: +84 8 3786 2225, **Email:** info@duytan.com
[facebook.com/duytan.plastics.corp](https://www.facebook.com/duytan.plastics.corp)
www.duytan.com

Nguyen Van Hung (Sales Director)
Email: nguyenvanhung@duytan.com
Tel: +84-8 38762222- Ext 126
Mobile: +84-903 895 497

Hoang Thanh Tung (Export Manager)
Email: hoangthanhtung@duytan.com
Tel : +84-8 38762222- Ext 142
Mobile : +84-913 325 766

General inquiry: info@duytan.com